



Marine & Offshore

Certificate number: 13756/D0 BV

File number: AP3580 Product code: 3896H

This certificate is not valid when presented without the full attached schedule composed of 7 sections

www.veristar.com

TYPE APPROVAL CERTIFICATE

This certificate is issued to

NORIS AUTOMATION GmbH

Nürnberg - GERMANY

for the type of product

MEASURING DEVICE TRANSDUCERS

Limit Value Switches Series 5 Measuring Transducers Series 5

Requirements:

Bureau Veritas Rules for the Classification of Steel Ships

EC Code: 33C

This certificate is issued to attest that Bureau Veritas Marine & Offshore did undertake the relevant approval procedures for the product identified above which was found to comply with the relevant requirements mentioned above.

This certificate will expire on: 21 Feb 2028

For Bureau Veritas Marine & Offshore, At BV HAMBURG, on 21 Feb 2023, Dirk Hoepfner

This certificate was created electronically and is valid without signature



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with Bureau Veritas Marine & Offshore. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

Certificate number: 13756/D0 BV

THE SCHEDULE OF APPROVAL

1. PRODUCT DESCRIPTION:

The Series 5 consist of Limit Value Switches and Measuring Transducers for the installation on DIN rail.

1.1 Main characteristics:

Power supply: 24V DC Degree of protection: IP 20

1.2 Variants of Limit Value Switches Series 5:

Family	Input	Type number
RH5	NTC	RH51, RH52, RH51-A, RH52-A
RP5	Pt100	RP51, RP52, RP51-A, RP52-A
RPT5	Pt1000	RPT51, RPT52, RPT51-A, RPT52-A
RI5	I (mA DC)	RI51, RI52, RI51-A, RI52-A
RG5	U (V DC)	RG51, RG52, RG51-A, RG52-A
RG51-S	U (VDC)	RG51-S
RF50	F (Hz)	RF500-R1, RF500-R2, RF500-A1, RF500-A2, RF501-R1, RF501-R2, RF501-A1, RF501-A2, RF502-R1, RF502-R2, RF502-A1, RF502-A2
RTK5	NiCr-Ni	RTK58, RTK59, RTK58-A, RTK59-A
RW5	U (V AC)	RW53, RW54, RW55, RW53-A, RW54-A, RW55-A
RW5S	U (V AC)	RW53-S, RW54-S, RW55-S

Variants of Measuring Transducers Series 5:

Family	Input	Type number
VP5	Pt100	VP51-I1, VP51-I2, VP51-G1, VP51-G2 VP52-I1, VP52-I2, VP52-G1, VP52-G2 VP511-I1, VP511-I2, VP511-G1, VP511-G2
VPT5	Pt1000	VPT51-I1, VPT51-I2, VPT51-G1, VPT51-G2 VPT52-I1, VPT52-I2, VPT52-G1, VPT52-G2 VPT511-I1, VPT511-I2, VPT511-G1, VPT511-G2
VF50	F (Hz)	VF500-I1, VF500-I2, VF500-G1, VF500-G2, VF501-I1, VF501-I2, VF501-G1, VF501-G2, VF502-I1, VF502-I2, VF502-G1, VF502-G2, VFS500-I1, VFS500-I2, VFS500-G1, VFS500-G2, VFS501-I1, VFS501-I2, VFS501-G1, VFS501-G2, VFS502-I1, VFS502-I2, VFS502-G1, VFS502-G2, VFG500-I1, VFG500-I2, VFG500-G1, VFG500-G2, VFG501-I1, VFG501-I2, VFG501-G1, VFG501-G2, VFW500-I1, VFW500-I2, VFW500-G1, VFW500-G2, VFW501-I1, VFW501-I2, VFW501-G1, VFW501-G2
VTK5	NiCr-Ni	VTK58-I1, VTK58-I2, VTK58-G1, VTK58-G2 VTK59-I1, VTK59-I2, VTK59-G1, VTK59-G2

2. DOCUMENTS AND DRAWINGS:

- General specifications, ref. KM10 E, ed.1, dated 01/07/00.
- Detailed information per family: as filed in AP 3580.

3. TEST REPORTS:

- EMCC DR. RASEK: EMCC-840080VB, dated 2001-03-16
- LGA: 471 1173, dated 10 Mai 2001; 25 1249 RP1 dated 20.Mai 2005
- NORIS: P444, dated March 8, 2001

For D0 version:

- Bureau Veritas Consumer Products Services: 2022-0009-EMC-TR-22-0020-V01 dated 21.02.22

Page 3 / 3

Certificate number: 13756/D0 BV

4. APPLICATION / LIMITATION:

- 4.1 Bureau Veritas Rules for the Classification of Steel Ships
- 4.2 Approval valid for ships intended to be granted with the following additional class notations: **AUT-UMS, AUT-CCS, AUT-PORT** and **AUT-IMS.**
- 4.3 The devices are for the installation in the General Power Distribution Zone.
- 4.4 Bureau Veritas Environmental Category, EC Code: 33C
- 4.5 Equipment covered by this Type Approval certificate has been tested according to requirements of IACS UR E10 rev8.
- 4.6 The installation shall comply with the Manufacturer's recommendation described in the above-referenced documentation.

5. PRODUCTION SURVEY REQUIREMENTS:

- 5.1 The above mentioned devices are to be supplied by **NORIS Automation GmbH** in compliance with the type described in this certificate.
- 5.2 This type of product is within the category HBV of Bureau Veritas Rule Note NR320 and as such does not require a BV product certificate.
- 5.3 **NORIS Automation GmbH**has to make the necessary arrangements to have its works recognised by Bureau Veritas in compliance with the requirements of NR320 for HBV products.

NORIS Automation GmbH Muggenhoferstrasse 95 90429 Nürnberg GERMANY

6. MARKING OF PRODUCT:

- Manufacturer's name or trademark
- Date of manufacture and/or serial number
- Equipment type or model identification under which it was type-tested.

7. OTHERS:

7.1 - It is the responsibility of **NORIS Automation GmbH** to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.

7.2 - This certificate supersedes the Type Approval Certificate N° 13756/C0 BV issued on 09 Feb 2018 by the Society.

*** END OF CERTIFICATE ***